


Salve

Batch ID:		Test ID:	T000120379
Type:	Unit	Submitted:	01/21/2021 @ 12:30 PM
Test:	Potency	Started:	1/22/2021
Method:	TM14	Reported:	1/26/2021

CANNABINOID PROFILE




Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	13.23	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	14.94	ND	ND
Cannabidiolic acid (CBDA)	15.42	ND	ND
Cannabidiol (CBD)	15.03	463.86	16.6
Delta 8-Tetrahydrocannabinol (Delta 8THC)	16.45	ND	ND
Cannabinolic Acid (CBNA)	9.42	ND	ND
Cannabinol (CBN)	4.31	ND	ND
Cannabigerolic acid (CBGA)	13.80	ND	ND
Cannabigerol (CBG)	3.30	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	11.67	ND	ND
Tetrahydrocannabivarin (THCV)	3.00	ND	ND
Cannabidivarinic Acid (CBDVA)	6.43	ND	ND
Cannabidivarin (CBDV)	3.56	6.49	0.2
Cannabichromenic Acid (CBCA)	5.32	ND	ND
Cannabichromene (CBC)	5.82	7.70	0.3
Total Cannabinoids		478.05	17.1
Total Potential THC**		ND	ND
Total Potential CBD**		463.86	16.6

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)
 * Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
 ** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.
 Total THC = THC + (THCa *(0.877)) and
 Total CBD = CBD + (CBDa *(0.877))
 ND = None Detected (Defined by Dynamic Range of the method)

NOTES:

of Servings = 1, Sample Weight=28g

FINAL APPROVAL

 Sam Smith 26-Jan-2021 4:37 PM	 Ben Minton 26-Jan-2021 8:12 PM
---	---

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

Salve

Batch ID:	N/A	Test ID:	T000120381
Type:	Topical	Submitted:	01/21/2021 @ 12:30 PM
Test:	Microbial Contaminants	Started:	1/22/2021
Method:	TM24, TM25, TM26, TM27, TM28	Reported:	1/25/2021

MICROBIAL CONTAMINANTS

Contaminant	Result (CFU/g)*
Total Aerobic Count**	None Detected
Total Coliforms**	None Detected
Total Yeast and Molds**	None Detected
E. coli	Absent
E. coli (STEC)	None Detected
Salmonella	None Detected

* CFU/g = Colony Forming Unit per Gram



** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU

NOTES:

Free from visual mold, mildew, and foreign matter
TYM: None Detected
Total Aerobic: None Detected

FINAL APPROVAL


Robert Belfon
25-Jan-2021
3:50 PM
Greg Zimpfer
25-Jan-2021
4:44 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03

Salve

Batch ID:		Test ID:	T000120380
Type:	Concentrate	Submitted:	01/21/2021 @ 12:30 PM
Test:	Pesticides	Started:	1/26/2021
Method:	TM17	Reported:	1/27/2021


PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	42 - 2439	ND*	Malathion	297 - 2439	ND*
Acetamiprid	42 - 2439	ND*	Metalaxyl	47 - 2439	ND*
Abamectin	>305	ND*	Methiocarb	45 - 2439	ND*
Azoxystrobin	43 - 2439	ND*	Methomyl	45 - 2439	ND*
Bifenazate	36 - 2439	ND*	MGK 264 1	176 - 2439	ND*
Boscalid	48 - 2439	ND*	MGK 264 2	120 - 2439	ND*
Carbaryl	43 - 2439	ND*	Myclobutanil	41 - 2439	ND*
Carbofuran	41 - 2439	ND*	Naled	50 - 2439	ND*
Chlorantraniliprole	43 - 2439	ND*	Oxamyl	45 - 2439	ND*
Chlorpyrifos	57 - 2439	ND*	Paclobutrazol	43 - 2439	ND*
Clofentezine	296 - 2439	ND*	Permethrin	306 - 2439	ND*
Diazinon	298 - 2439	ND*	Phosmet	45 - 2439	ND*
Dichlorvos	>282	ND*	Prophos	295 - 2439	ND*
Dimethoate	44 - 2439	ND*	Propoxur	44 - 2439	ND*
E-Fenpyroximate	293 - 2439	ND*	Pyridaben	291 - 2439	ND*
Etofenprox	40 - 2439	ND*	Spinosad A	30 - 2439	ND*
Etoxazole	289 - 2439	ND*	Spinosad D	79 - 2439	ND*
Fenoxycarb	>45	ND*	Spiromesifen	>273	ND*
Fipronil	27 - 2439	ND*	Spirotetramat	>295	ND*
Fonicamid	51 - 2439	ND*	Spiroxamine 1	20 - 2439	ND*
Fludioxonil	>310	ND*	Spiroxamine 2	23 - 2439	ND*
Hexythiazox	42 - 2439	ND*	Tebuconazole	288 - 2439	ND*
Imazalil	287 - 2439	ND*	Thiacloprid	45 - 2439	ND*
Imidacloprid	46 - 2439	ND*	Thiamethoxam	46 - 2439	ND*
Kresoxim-methyl	50 - 2439	ND*	Trifloxystrobin	43 - 2439	ND*


* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL

 Tyler Wiese
 27-Jan-2021
 2:12 PM

PREPARED BY / DATE

 Ben Minton
 27-Jan-2021
 2:26 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

Salve


Batch ID:	N/A	Test ID:	T000120382
Type:	Unit	Submitted:	01/21/2021 @ 12:30 PM
Test:	Metals	Started:	1/22/2021
Method:	TM19	Reported:	1/25/2021

HEAVY METALS

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.139 - 13.80	ND
Cadmium	0.130 - 12.90	ND
Mercury	0.132 - 13.20	ND
Lead	0.160 - 16.00	ND

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL


Ryan Weems
25-Jan-2021
12:26 PM

PREPARED BY / DATE


Greg Zimpfer
25-Jan-2021
2:42 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

Salve

Batch ID:		Test ID:	T000120383
Type:	Topical	Submitted:	01/21/2021 @ 12:30 PM
Test:	Residual Solvents	Started:	1/25/2021
Method:	TM04	Reported:	1/25/2021


RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
Propane	108 - 2167	*ND
Butanes (Isobutane, n-Butane)	214 - 4272	*ND
Methanol	60 - 1201	*ND
Pentane	105 - 2107	*ND
Ethanol	99 - 1976	*ND
Acetone	99 - 1970	*ND
Isopropyl Alcohol	95 - 1892	*ND
Hexane	6 - 123	*ND
Ethyl Acetate	97 - 1941	*ND
Benzene	0.2 - 3.9	*ND
Heptanes	101 - 2012	*ND
Toluene	16 - 327	*ND
Xylenes (m,p,o-Xylenes)	113 - 2261	*ND

* ND = None Detected (Defined by Dynamic Range of the method)


NOTES:
N/A

FINAL APPROVAL



Tyler Wiese
25-Jan-2021
8:14 PM

PREPARED BY / DATE



Greg Zimpfer
25-Jan-2021
8:26 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02